

**EXPRESS
DELIVERY**

24x7 -  +971 56 72 72 100

SAFETY SHOES CATALOGUE

2023



SAFETY AT EVERY STEP®



...YOUR NEAREST SAFETY SHOE FACTORY...

FOR INTERNATIONAL GUARANTEE/ TECHNICAL SUPPORT:-

MIDDLE EAST / CIS / AFRICA
P.O. Box 9077,
Sharjah Intl. Airport Free Zone,
(SAIF Zone) Sharjah,
UNITED ARAB EMIRATES.

DUBAI
P.O. Box:
119412,
Deira,
DUBAI.

SHARJAH
P.O. Box:
68846,
SHARJAH,
UAE.

SAUDI ARABIA
P.O. Box: 1516,
Dammam 31411,
KINGDOM OF
SAUDI ARABIA.

QATAR
P.O. Box: 47301,
Al Baker Complex,
Building No. 1, A3,
Doha, QATAR.

OMAN
P.O. Box. 3445,
P.C 112,
Sultanate of
OMAN.

ITALY
PESARO, via-dell,
Industria -12,
61121
ITALIA.

SPAIN
Plaza De Honduras,
29 - Der. 90-35,
46010 - Valencia,
SPAIN.

HONG KONG
P. O. Box. 98679,
T.S.T.
Post Office,
HONG KONG.

NORWAY
Sofimyrveien 4,
1412
Sofiemyr,
NORWAY.

INDIA
523 Estacy, Nirmal City of
Joy Business Park,
Station Road, Mulund West,
MUMBAI- 400 080, INDIA.

SAFETY CATEGORIES

EN ISO 20345:2011

Footwear with toe protection against 200 j impact

SB	
S1	A + FO + E
S1P	A + FO + E + P
S2	A + FO + E + WRU
S2P	A + FO + E + WRU + P (Smooth sole)
S3	A + FO + E + WRU + P
S4	A + FO + E + Leakproofness
S5	A + FO + E + WRU + P + Leakproofness














































A	Antistatic footwear
E	Energy absorption of seat region
FO	Resistance to fuel oil of outsole
P	Penetration Resistance
C	conductive footwear
HRO	Resistance to hot contact of outsole
CI	Cold insulation of sole complex

EN ISO 20347:2012

Non safety shoes

OB	
01	A + E
01P	A + E + P
02	A + E + WRU
0 2P	A + E + WRU + P (Smooth sole)
03	A + E + WRU + P
04	A + E + Leakproofness
05	A + E + P + Leakproofness

HI	Heat insulation of sole complex
WR	Water resistant footwear
WRU	Water resistant upper
M	Metatarsal protection
A	Ankle protection
CR	Cut Resistance of Upper
SRC	(SRA+SRB) Slip resistant footwear

Properties	SBP	S1	S1P	S2	S3	SB	S4	S5
Slip-resistant (SRA/SRB/SRC)								
Impact-resistant								
Penetration-resistant Sole (P)								
Closed Heel Area								
Fuel Oil-resistance of the Sole (FO)								
Anti-static Properties (A)								
Energy Absorption in the Heel Area (E)								
Water-resistant (WR)								
Cleated Outsole								

SL. No.	PAGE
01. ABOUT US	04
02. SAFETY SHOES	6-37
03. CASUAL SHOES	38
04. FASHION/LADIES SHOES	39
05. NURSES SHOES	39
06. GUM-BOOTS/RIGGER/WELDERS BOOTS	39
07. ELECTRICAL EH 18 KV SAFETY SHOES	40
08. GUARANTEE CERTIFICATE	42
09. SHOE CARE & SHOE MAINTENANCE TIPS	43
10. SHOE MEASUREMENT/SIZE CHART	43
11. AIR-COOLED COTTON SOCKS	44
12. FOOT ANALYZER & CUSTOMIZED INSOLE	45
13. SHOE PROMOTIONAL DISPLAY STAND	46
14. SHOE CLEANING/ SELECTION KIOSK	47
15. OUR ESTEEMED CLIENTS & REVIEWS	52-53
16. <u>SHOE SELECTION GUIDE BY PROFESSION</u>	
01. MANAGERS/EXECUTIVE	48
02. M.E.P WORK	48
03. MANPOWER SUPPLY EXECUTIVE	48
04. SCAFFOLDING	48
05. FACILITY MANAGEMENT	49
06. DAIRY & JUICE / CHOCOLATE MFG	49
07. EXECUTIVE FACILITY MANAGEMENT	49
08. CONSTRUCTION	49
09. ASPHALT/HIGH-TEMPERATURE	50
10. HEAVY DUTY CONSTRUCTION	50
11. CEMENT MFG./ CONCRETE/ READY-MIX	50
12. LADIES SHOE COLLECTION	50
13. SECURITY SERVICE	50
14. UNIFORM MANUFACTURERS	51
15. HOTEL AND KITCHEN	51
16. MAN POWER SUPPLY	51

ABOUT US

WHO WE ARE

The strength of our organization & its DNA is derived from Mr. Yves Réquillart, Chairman & Managing Director- M/S SORELEX – France, the first European safety shoe supplier to the Gulf Countries way back in 1970s. All our synergies were successfully coordinated and paved the way for crafting our first safety shoe in 1994. Since then we have continued to grow to over **137+ models in 23+ registered brands**, covering the whole range of professional collections majoring with **HIGH ANKLE, MID ANKLE, LOW ANKLE, LOW WEIGHT, SPORTS COLLECTION, RIGGER, METALLIC, 100% NON-METALLIC & WATER REPELLENT.**



"While I was in my thirties an experienced businessman told me:
Easy to find business minded people,
Easy to find honest people but...
Difficult to find people who share both these qualities - They are very few...
Personally I believe that Thomas Koyat belongs to this rare category and this is one of the main reasons why he brought FOURESS to success."

Mr. Yves Réquillart
Author & Philanthropist

Ex- Chairman & Managing Director
M/S SORELEX – France,
ALLSAFE Ltd. U.A.E.

OUR STRENGTH

Understanding the growing demands of today's workforce, we have ergonomically crafted all our safety shoes by ensuring 100% precision in terms of the **4Ss - SAFETY, STYLE, STRENGTH & SUBSTANCE** on which FOURESS stands. Our integrated infrastructure includes Design & Development facility in Sharjah SAIF ZONE, Manufacturing facility in Italy and China, centralized logistical location in Sharjah SAIF ZONE, Sharjah Industrial Area No.18, Al Quoz Industrial No. 3, and Ajman Industrial Area No.1, which holds more than **600,000+ pairs** of Safety Shoes across our whole range of **137+ stylish models in 23+ registered brands.** We promise to deliver / dispatch every order within 24 hours as a part of our mission statement.

OUR SUBSTANCE

Our designer showrooms showcase shoes of each category recommended to be used in **17 DIFFERENT HAZARDOUS WORKPLACES.** We have the widest range in terms of Price, Technical Superiority, Safety Norms, Design, Style and Look in line with your Fashion Statement. Our management system focuses on Quality at every stage of Design, Raw material procurement, Production process, Packing and even Storage. This has helped us to maintain highest percentage of quality and consistency by registering close to 0% complaints in the market. These achievements are being made possible by synergizing Creativity, Passion and Workmanship.

SAFETY AT EVERY STEP®



SAFETY AT EVERY STEP

YOUR SAVINGS

- 1 ZERO CAPITAL INVESTMENT.
- 2 NO IMPORT FORMALITIES.
- 3 NO WAITING PERIOD.
- 4 NO BANK FORMALITIES.
- 5 NO ANY WAREHOUSING TROUBLES.
- 6 ZERO SLOW MOVING, OLD STOCK AND DEAD STOCK.
- 7 ZERO ANY INVENTORY CARRYING COST.
- 8 CHOICE OF 23+ REGISTERED / PROTECTED BRANDS.
- 9 WE OFFER 137+ MODELS FOR YOU TO SELL.
- 10 CHANCE TO DO BUSINESS WITH 600,000+ PRS READY STOCK.
- 11 CHOICE OF SPECIALITY SHOES FOR 17 HAZARDOUS WORKPLACES.
- 12 TO GET FREE ZONE IMPORT BENEFITS.
- 13 ENROL FOR YOUR **PRIVILEGE CARD**  TO AVAIL UNLIMITED BENEFITS



WE GUARANTEE

- 1 FACTORY PRICE & YEARLY CONTRACT.
- 2 ALWAYS FRESH STOCK AVAILABILITY.
- 3 PROMISING 80% READY STOCK OF RARE SHOE (SIZES 35-38 & 47-50)
- 4 WIDE RANGE OF 23+ BRANDS, 137+ MODELS.
- 5 MANAGE WITH 600,000+ READY STOCK .
- 6 UNINTERRUPTED SUPPLY.
- 7 100% REPLACEMENT GUARANTEE*
- 8 O E M BRANDING - (MAKE YOUR BRAND)
- 9 24 x 7  INTEGRATED  SUPPORT SERVICE.
- 10 DOOR TO DOOR DELIVERY ARRANGEMENT.

"It's not being loud,
but being silent.
It's not getting away with a smile.
but accepting the fault.
It's not assuming leadership
but earning it.
It's not becoming the leader,
but always being one."

Thomas Royat

Chairman & Managing Director
FOURESS SAFETY GROUP.

OUR PROMISE

Covered with a replacement guarantee from 6 months to 12 months, all our Safety Shoes are proven to be true value for your money. You may be a Brand Owner, Exporter, Retailer, Trader, Wholesaler or an end-user, FOURESS is your right choice to Design and Manufacture your Safety Shoes, with an assurance that 'with our Safety Shoes on', you enjoy **'SAFETY AT EVERY STEP'**.

YOUR CORPORATE SAVINGS

With an yearly supply contract,
we promise uninterrupted supply as per your call.
Better quality and durability translates to **30% - 50%** lesser yearly consumption.
Managing with 0% inventory / stock, we assure you an additional
net saving @ **35% - 55%** every year.

LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

100% NON-METALLIC SAFETY SHOE

PU TEK technology HYPERTEX

WATER REPELLENT UPPER

PBP3-919 (S3)
WRU HRO SRC
ISO EN -20345:2011

TEST RESISTANT FLEXIBLE SOLE COMPOSITE TOE CAP KEVLAR MIDSOLE ON RESISTANT SHOCK ABSORPTION BREATHABLE

01

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

REFLECTIVE
REFLECTIVE PULL TAB

EYELETS
100 % NON-METALLIC ABS EYELETS

UPPER
PU TEK TECHNOLOGY TEXTILE WATER REPELLENT UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

NON-MARKING
NON-MARKING OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

OUTSOLE
FLEXIBLE HEAT RESISTANT PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

02

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
PU TEK TECHNOLOGY TEXTILE WATER REPELLENT UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIPON
SLIPON FOR EASY WEARING

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

OUTSOLE
HEAT RESISTANT DUAL DENSITY PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

100% NON-METALLIC SAFETY SHOE

PU TEK technology HYPERTEX

WATER REPELLENT UPPER

PBP3-818 (S2)
WRU HRO SRC
ISO EN -20345:2011

CLOG ELASTICIZED SYSTEM

TEST RESISTANT FLEXIBLE SOLE COMPOSITE TOE CAP KEVLAR MIDSOLE ON RESISTANT SHOCK ABSORPTION BREATHABLE

LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

100% NON-METALLIC SAFETY SHOE

PU TEK technology HYPERTEX

WATER REPELLENT UPPER

PBP3-717 (S3)
WRU HRO SRC
ISO EN -20345:2011

TEST RESISTANT FLEXIBLE SOLE COMPOSITE TOE CAP KEVLAR MIDSOLE ON RESISTANT SHOCK ABSORPTION BREATHABLE

03

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS
100 % NON-METALLIC ABS EYELETS

UPPER
PU TEK TECHNOLOGY TEXTILE WATER REPELLENT UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

NON-MARKING
NON-MARKING OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

OUTSOLE
FLEXIBLE HEAT RESISTANT PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

LIGHTWEIGHT

PIT BULL®
SAFETY SHOES
CALZATURE DI SICUREZZA

100% NON-METALLIC SAFETY SHOE

WATER REPELLENT UPPER

FK-4004 S3
WRU HRO SRC
ISO EN -20345:2011

Icons: Safety, Slip Resistance, Heat Resistant, Non-Marking, Toe Protection, Reinforced Heel, Air-Cooled Memory Foam Insole, Water Repellent Upper, 100% Non-Metallic Safety Shoe, Lightweight, Breathable.

04

LINING
HIGH QUALITY PU ANKLE LINING

EYELETS
100 % NON-METALLIC HEXAGON ABS EYELETS

UPPER
HIGH QUALITY WATER REPELLENT NUBUCK LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT RESISTANT DUAL DENSITY PU SOLE

COMFORT INSOLE
ERGONOMICALLY DESIGNED INSOLE ABSORBS EVEN MICRO VIBRATIONS TO PROVIDE BETTER COMFORT

NON-MARKING NON-MARKING OUTSOLE
KEVLAR MIDSOLE (NAIL PROOF)

05

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
SUEDE LEATHER AND MESH COMBINATION UPPER

EYELETS
100 % NON-METALLIC ABS EYELETS

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

TOE PROTECTION
REINFORCED LEATHER TOE PROTECTION

NON-MARKING NON-MARKING OUTSOLE
FLEXIBLE HEAT RESISTANT DOUBLE DENSITY TPR SOLE

AIR-COOLED MEMORY FOAM INSOLE
AIR-COOLED MEMORY FOAM INSOLE FOR BETTER COMFORT AND EXTRA CUSHIONING

LIGHTWEIGHT

Grasshopper®

100% NON-METALLIC SAFETY SHOE

WATER REPELLENT UPPER

GHL-4300 S3
WRU HRO SRC
ISO EN -20345:2011

Icons: Safety, Slip Resistance, Heat Resistant, Non-Marking, Toe Protection, Reinforced Heel, Air-Cooled Memory Foam Insole, Water Repellent Upper, 100% Non-Metallic Safety Shoe, Lightweight, Breathable.

LIGHTWEIGHT

Grasshopper®

100% NON-METALLIC SAFETY SHOE

WATER REPELLENT UPPER

Z5-S3 S3
WRU HRO SRC
ISO EN -20345:2011

Icons: Safety, Slip Resistance, Heat Resistant, Non-Marking, Toe Protection, Reinforced Heel, Air-Cooled Memory Foam Insole, Water Repellent Upper, 100% Non-Metallic Safety Shoe, Lightweight, Breathable.

06

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS
100 % NON-METALLIC ABS EYELETS

UPPER
CRAZY HORSE OIL WAX LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

OUT SOLE
FLEXIBLE HEAT RESISTANT DOUBLE DENSITY TPR SOLE

NON-MARKING NON-MARKING OUTSOLE
AIR-COOLED MEMORY FOAM INSOLE

AIR-COOLED MEMORY FOAM INSOLE
AIR-COOLED MEMORY FOAM INSOLE FOR BETTER COMFORT AND EXTRA CUSHIONING



GH-8021 S3

WRU HRO SRC

ISO EN -20345:2011



07

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
SUEDE LEATHER AND MESH COMBINATION UPPER

EYELETS
100 % NON-METALLIC ABS EYELETS

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

OUT SOLE
FLEXIBLE HEAT RESISTANT DOUBLE DENSITY TPR SOLE

TOE PROTECTION
REINFORCED LEATHER TOE PROTECTION
AIR-COOLED MEMORY FOAM INSOLE
AIR-COOLED MEMORY FOAM INSOLE FOR BETTER COMFORT AND EXTRA CUSHIONING

08

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS
100 % NON-METALLIC ABS EYELETS

UPPER
HIGH QUALITY SUEDE LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

TOE PROTECTION
REINFORCED LEATHER TOE PROTECTION
AIR-COOLED MEMORY FOAM INSOLE
AIR-COOLED MEMORY FOAM INSOLE FOR BETTER COMFORT AND EXTRA CUSHIONING



GHL-1030 S3

WRU HRO SRC

ISO EN -20345:2011



GHL-1020 S3

WRU HRO SRC

ISO EN -20345:2011



09

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS
100 % NON-METALLIC ABS EYELETS

UPPER
HIGH QUALITY SUEDE LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

OUTSOLE
FLEXIBLE HEAT RESISTANT DOUBLE DENSITY PU OUTSOLE

TOE PROTECTION
REINFORCED LEATHER TOE PROTECTION
AIR-COOLED MEMORY FOAM INSOLE
AIR-COOLED MEMORY FOAM INSOLE FOR BETTER COMFORT AND EXTRA CUSHIONING

LIGHTWEIGHT

S PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



FK-200-S1

HRO SRC

ISO EN -20345:2011



10

LINING
HIGH QUALITY SOFT LEATHER LINING
FOR BETTER COMFORT

UPPER
BREATHABLE KNITTED
3D MESH UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

**AIR-COOLED
MEMORY FOAM INSOLE**
AIR-COOLED
MEMORY FOAM INSOLE
FOR BETTER COMFORT
AND EXTRA CUSHIONING



LIGHTWEIGHT

S PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



FK-222-S1

HRO SRC

ISO EN -20345:2011



11

LINING
HIGH QUALITY SOFT LEATHER LINING
FOR BETTER COMFORT

UPPER
BREATHABLE KNITTED
3D MESH UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

**AIR-COOLED
MEMORY FOAM INSOLE**
AIR-COOLED
MEMORY FOAM INSOLE
FOR BETTER COMFORT
AND EXTRA CUSHIONING



LIGHTWEIGHT

S PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PBN-1809-S1P

HRO SRC

ISO EN -20345:2011



12

LINING
HIGH QUALITY 3D AIR MESH
FOR BETTER COMFORT

EYELETS
100 % NON-METALLIC
ABS EYELETS

UPPER
HIGHLY ABRASION RESISTANT
FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J

**SLIP
RESISTANCE**
EXTRA PU PROTECTION
FOR SLIP RESISTANT

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

OUTSOLE
FLEXIBLE IMPACT
RESISTANT
EVA OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE
**AIR-COOLED
MEMORY FOAM INSOLE**
AIR-COOLED
MEMORY FOAM INSOLE
FOR BETTER COMFORT
AND EXTRA CUSHIONING

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)



PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

PBN-1840-S1P

HRO SRC

ISO EN -20345:2011

13

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

PBN-1844-S1P

HRO SRC

ISO EN -20345:2011

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGHLY ABRASION RESISTANT FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

14

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

PBN-1844-S1P

HRO SRC

ISO EN -20345:2011

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGHLY ABRASION RESISTANT FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

15

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

PBN-199-S1P

HRO SRC

ISO EN -20345:2011

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGHLY ABRASION RESISTANT FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

15

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

PBN-199-S1P

HRO SRC

ISO EN -20345:2011

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGHLY ABRASION RESISTANT FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

15

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA

PBN-199-S1P

HRO SRC

ISO EN -20345:2011

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGHLY ABRASION RESISTANT FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

LIGHTWEIGHT

S PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PBN-5001-S1

HRO SRC

ISO EN -20345:2011



16

LINING
HIGH QUALITY 3D AIR MESH
FOR BETTER COMFORT

UPPER
HIGH QUALITY
SUEDE LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J



**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MIDSOLE
EVA MIDSOLE
FOR SHOCK
ABSORPTION

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

17

LINING
HIGH QUALITY 3D AIR MESH
FOR BETTER COMFORT

UPPER
HIGH QUALITY
SUEDE LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J



**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MIDSOLE
EVA MIDSOLE
FOR SHOCK
ABSORPTION

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU SOLE

NON-MARKING
NON-MARKING
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

LIGHTWEIGHT

S PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PBN-5005-S1

HRO SRC

ISO EN -20345:2011



S PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PBS-7007-S1

HRO SRC

ISO EN -20345:2011



18

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGH QUALITY SUEDE LEATHER UPPER

EYELETS
QUICK RELEASE METAL EYELETS

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
STEEL TOECAP
RESISTANT
UP TO 200 J



MIDSOLE
EVA MIDSOLE
**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

TOE PROTECTION
EXTRA
LEATHER TOE
PROTECTION
AIR-COOLED
MEMORY FOAM INSOLE
AIR-COOLED
MEMORY FOAM INSOLE
FOR BETTER COMFORT
AND EXTRA CUSHIONING



PBS-7005-S1

HRO SRC

ISO EN -20345:2011



19



20



PB3-1221-S3

WRU HRO SRC

ISO EN -20345:2011



BLS-8030-S1

HRO SRC

ISO EN -20345:2011



21



LIGHTWEIGHT

BEAL SAFETY SHOES
CHAUSURES DE SÉCURITÉ



BLS-6005-S3

WRU HRO SRC

ISO EN -20345:2011



22

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

100 % NON-METALLIC ABS EYELETS

UPPER

SOFT SPLIT LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE

SLIP RESISTANT OUTSOLE

REINFORCED HEEL

EXTRA PROTECTION FOR HEEL SAFETY

COMFORT INSOLE

HIGHLY COMFORTABLE & WASHABLE

NON-MARKING NON-MARKING OUTSOLE

MIDSOLE

KEVLAR MIDSOLE

OUTSOLE

HEAT RESISTANT DUAL DENSITY PU OUTSOLE

23

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

100 % NON-METALLIC ABS EYELETS

UPPER

SOFT SPLIT LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE

SLIP RESISTANT OUTSOLE

COMFORT INSOLE

HIGHLY COMFORTABLE & WASHABLE INSOLE

NON-MARKING NON-MARKING OUTSOLE

MIDSOLE

KEVLAR MIDSOLE (NAIL PROOF)

OUTSOLE

HEAT RESISTANT DUAL DENSITY PU OUTSOLE

REINFORCED HEEL

EXTRA PROTECTION FOR HEEL SAFETY

LIGHTWEIGHT

BEAL SAFETY SHOES
CHAUSURES DE SÉCURITÉ



BLS-6008-S3

WRU HRO SRC

ISO EN -20345:2011



LIGHTWEIGHT

PIT BULL SAFETY SHOES
CALZATURE DI SICUREZZA



PF-9010-S3

WRU HRO SRC

ISO EN -20345:2011



24

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

100% NON-METALLIC ABS EYELETS

UPPER

WATER REPELLENT UPPER LEATHER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

COMPOSITE TOE CAP RESISTANT UP TO 150 J

TOE PROTECTION

PU TOE PROTECTION FOR EXTRA SAFETY



SLIP RESISTANCE

SLIP RESISTANT OUTSOLE

REINFORCED HEEL

EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE

KEVLAR MIDSOLE (NAIL PROOF)

FOOTBED

PADDED ADDITIONAL FOOTBED FOR EXTRA COMFORT

COMFORT INSOLE

HIGHLY COMFORTABLE & WASHABLE INSOLE

NON-MARKING NON-MARKING OUTSOLE

OUTSOLE

FLEXIBLE HEAT RESISTANT PU DUAL DENSITY OUTSOLE



BEAL SAFETY SHOES
CHAUSSURES DE SÉCURITÉ

Hi-Flex



Hi-Flex

WRU HRO SRC

ISO EN -20345:2011



25

LINING

HIGH ELASTIC LYCRA LINING SUPPORT
FOR COMFORT, FITMENT & ELASTICITY

UPPER

HIGH QUALITY GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

COMPOSITE TOECAP
RESISTANT UP TO 150 J

**LEATHER
PROTECTION**

EXTRA LEATHER
TOE PROTECTION



**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

**NON-MARKING
NON-MARKING
OUTSOLE**

OUTSOLE
DUAL COLOUR
FLEXIBLE HEAT
RESISTANT PU SOLE

TOE PROTECTION
PU TOE PROTECTION
FOR EXTRA SAFETY

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

26

LINING

SOFT LEATHER LINING FOR EXTRA ANKLE COMFORT

REFLECTIVE

REFLECTIVE FOR
NIGHT VISION

EYELETS

METALLIC ANODIZED HEXAGON EYELETS

UPPER

SMOOTH NAPPA LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOECAP
RESISTANT
UP TO 200 J



MIDSOLE
STEEL MIDSOLE
(NAIL PROOF)

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

**NON-MARKING
NON-MARKING
OUTSOLE**

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

BEAL SAFETY SHOES
CHAUSSURES DE SÉCURITÉ

BLH-501-S1P

HRO SRC

ISO EN -20345:2011



27

LINING

SOFT LEATHER LINING FOR EXTRA ANKLE COMFORT

REFLECTIVE

REFLECTIVE FOR
NIGHT VISION

EYELETS

METALLIC ANODIZED HEXAGON EYELETS

UPPER

SMOOTH NAPPA LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOECAP
RESISTANT
UP TO 200 J



MIDSOLE
STEEL MIDSOLE
(NAIL PROOF)

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

**NON-MARKING
NON-MARKING
OUTSOLE**

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOT BED
PADDED
ADDITIONAL
FOOT BED FOR
EXTRA COMFORT



BLH-400-SBP

HRO SRC

ISO EN -20345:2011



LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PF - 9009 S3

WRU HRO SRC

ISO EN -20345:2011



28

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

100 % NON-METALLIC
ABS EYELETS

UPPER

HIGH GRADE SMOOTH
LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOE PROTECTION

PU TOE PROTECTION
FOR EXTRA SAFETY



SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

NON-MARKING
NON-MARKING
OUTSOLE

TOECAP

COMPOSITE
TOECAP
RESISTANT
UP TO 150 J

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT
RESISTANT PU SOLE

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

29

LINING

HIGH QUALITY LEATHER
INNER LINING

EYELETS

100 % NON-METALLIC
ABS EYELETS

UPPER

BLACK COLOUR HIGH-GRADE
OIL TAN LEATHER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

COMPOSITE
TOECAP
RESISTANT
UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE
SMOOTH LEATHER INSOLE

LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PB-2099 -S2

WRU HRO SRC

ISO EN -20345:2011



30

LINING

HIGH QUALITY LEATHER INNER
LINING

UPPER

BLACK HIGH-GRADE
OIL TAN LEATHER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

COMPOSITE
TOECAP
RESISTANT
UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE
SMOOTH LEATHER INSOLE

LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PB-2097 -S2

WRU HRO SRC

ISO EN -20345:2011



LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PB-2088 -S2

WRU HRO SRC

ISO EN -20345:2011



31

LINING
HIGH QUALITY LEATHER INNER LINING

EYELETS
100 % NON-METALLIC ABS EYELETS

UPPER
BROWN COLOUR HIGH-GRADE OIL TAN LEATHER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT RESISTANT PU OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE SMOOTH LEATHER INSOLE

32

LINING
HIGH QUALITY LEATHER INNER LINING

UPPER
BLACK HIGH-GRADE OIL TAN LEATHER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE HEAT RESISTANT PU SOLE

COMFORT INSOLE
HIGHLY COMFORTABLE SMOOTH LEATHER INSOLE

LIGHTWEIGHT

PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PB-2077 -S2

WRU HRO SRC

ISO EN -20345:2011



LIGHTWEIGHT

STEPS-SOLO



SOLO -S1P

HRO SRC

ISO EN -20345:2011



33

LINING

TEMPERATURE CONTROL LINING MATERIAL

UPPER

HIGH QUALITY TENSILE NYLEX AND COTTON UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

TOE PROTECTION
EXTRA PU TOE PROTECTION



OUTSOLE
HIGHLY FLEXIBLE OUTSOLE

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

LEATHER PROTECTION
EXTRA LEATHER TOE PROTECTION

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE



BEAL SAFETY SHOES
CHALLENGES DE SECURITE



BL-N6 - S1P

HRO SRC

ISO EN -20345:2011



34

LINING
HIGH ELASTIC LYRICA LINING SUPPORT
FOR COMFORT, FITMENT & ELASTICITY

UPPER

PADDED NYLEX BREATHABLE UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

COMPOSITE TOECAP
RESISTANT UP TO 150 J

TOE PROTECTION

EXTRA PU TOE
PROTECTION



SLIP RESISTANCE

SLIP RESISTANT
OUTSOLE

REINFORCED HEEL

EXTRA PROTECTION
FOR HEEL SAFETY

OUTSOLE

360° FLEXIBLE HEAT
RESISTANT PU SOLE

MIDSOLE

KEVLAR MIDSOLE
(NAIL PROOF)

NON-MARKING

NON-MARKING
OUTSOLE

COMFORT INSOLE

HIGHLY COMFORTABLE
& WASHABLE INSOLE

35

LINING

TEMPRATURE CONTROL LINING MATERIAL

UPPER

HIGH QUALITY TENSILE NYLEX AND COTTON UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOECAP
RESISTANT
UP TO 200 J

TOE PROTECTION

EXTRA PU TOE
PROTECTION



OUTSOLE

HIGHLY
FLEXIBLE
OUTSOLE

SLIP RESISTANCE

SLIP RESISTANT
OUTSOLE

NON-MARKING

NON-MARKING
OUTSOLE

LEATHER PROTECTION

EXTRA LEATHER
TOE PROTECTION

REINFORCED HEEL

EXTRA PROTECTION
FOR HEEL SAFETY

MIDSOLE

STTEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE

HIGHLY COMFORTABLE
& WASHABLE INSOLE



BEAL SAFETY SHOES
CHALLENGES DE SECURITE

NEURO PLUS



NEURO PLUS - S1P

HRO SRC

ISO EN -20345:2011



36

LINING

CAMBRELLE INNER LINING

EYELETS

METALLIC ANODIZED
D RING EYELETS

UPPER

WATER REPELLENT UPPER
LEATHER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOECAP
RESISTANT
UP TO 200 J



SLIP RESISTANCE

SLIP RESISTANT
OUTSOLE

REINFORCED HEEL

EXTRA PROTECTION
FOR HEEL SAFETY

NON-MARKING

NON-MARKING
OUTSOLE

MIDSOLE

KEVLAR MIDSOLE
(NAIL PROOF)

COMFORT INSOLE

HIGHLY COMFORTABLE
& WASHABLE
INSOLE

OUTSOLE

FLEXIBLE HEAT
RESISTANT PU
OUTSOLE
DUAL DENSITY



A-2266-S3

WRU HRO SRC

ISO EN -20345:2011





A-2023-S3

WRU **HRO** SRC

ISO EN -20345:2011



37



SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY
COMFORTABLE &
WASHABLE
INSOLE

NON-MARKING
NON-MARKING
OUTSOLE
OUTSOLE
FLEXIBLE HEAT
RESISTANT PU
DUAL DENSITY
OUTSOLE

LINING

CAMBRELLE INNER LINING

EYELETS

METALLIC ANODIZED
EYELETS

UPPER

WATER REPLENT UPPER
LEATHER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOECAP
RESISTANT
UP TO 200 J

38



SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

REFLECTIVE
REFLECTIVE
FOR NIGHT
VISION

COMFORT INSOLE
HIGHLY
COMFORTABLE &
WASHABLE
INSOLE

NON-MARKING
NON-MARKING
OUTSOLE
OUTSOLE
FLEXIBLE HEAT
RESISTANT PU
DUAL DENSITY
OUTSOLE

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

100% NON-METALLIC ABS EYELETS

UPPER

WATER REPLENT UPPER
LEATHER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

COMPOSITE TOE CAP
RESISTANT UP TO 150 J

TOE PROTECTION
PU TOE PROTECTION
FOR EXTRA SAFETY



PB-155-S3

WRU **HRO** SRC

ISO EN -20345:2011



PB3-145-S3

WRU **HRO** SRC

ISO EN -20345:2011



39



REFLECTIVE
REFLECTIVE
FOR NIGHT
VISION

REINFORCED HEEL
EXTRA
PROTECTION
FOR HEEL SAFETY

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

COMFORT INSOLE
HIGHLY
COMFORTABLE &
WASHABLE
INSOLE

NON-MARKING
NON-MARKING
OUTSOLE

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

100 % NON-METALLIC ABS EYELETS

UPPER

WATER REPLENT UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

COMPOSITE TOE CAP
RESISTANT UP TO 150 J

TOE PROTECTION
PU TOE PROTECTION
FOR EXTRA SAFETY

BEAL SAFETY SHOES
CHAUSSURES DE SECURITE



F-10-S3

WRU HRO SRC
ISO EN -20345:2011



40



41



PB-547-S2

WRU HRO SRC
ISO EN -20345:2011



PB3-922-S3

WRU HRO SRC
ISO EN -20345:2011



42



LIGHTWEIGHT

PIT BULL®
SAFETY SHOES
CALZATURE DI SICUREZZA



PB3-911-S3

WRU HRO SRC

ISO EN -20345:2011



43

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER

BLACK HIGH-GRADE OIL TAN LEATHER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

COMPOSITE TOECAP RESISTANT UP TO 150 J



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

MIDSOLE
KEVALAR MIDSOLE (NAIL PROOF)

OUTSOLE
FLEXIBLE HEAT RESISTANT PU OUTSOLE

44

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

HOOK EYELETS

ABS LOCKABLE QUICK RELEASE EYELETS

EYELETS

METALLIC ANODIZED EYELETS

UPPER

WATER REPLENT GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

RESISTANT UP TO 200 J STEEL TOECAP



OUTSOLE
FLEXIBLE HEAT RESISTANT PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

MIDSOLE
KEVALAR MIDSOLE (NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

NON-MARKING
NON-MARKING OUTSOLE

PIT BULL®
SAFETY SHOES
CALZATURE DI SICUREZZA



PB-7051-S3

WRU HRO SRC

ISO EN -20345:2011



45

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

METALLIC ANODIZED EYELETS

UPPER

WATER REPLENT GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

RESISTANT UP TO 200 J STEEL TOECAP



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVALAR MIDSOLE (NAIL PROOF)

OUTSOLE
FLEXIBLE HEAT RESISTANT PU OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE



PB-7050-S3

WRU HRO SRC



FRONTIER SAFETY SHOES Ботинки специальные



GM-555-S3

WRU HRO SRC

ISO EN -20345:2011



46



47



BEAL SAFETY SHOES
CHAUSSURES DE SECURITE



BL-233-S3

WRU HRO SRC

ISO EN -20345:2011



BEAL SAFETY SHOES
CHAUSSURES DE SECURITE



BL-235-S3

WRU HRO SRC

ISO EN -20345:2011



48



BEAL SAFETY SHOES
CHAUSSEES DE SECURITE




BL-245-S3

WRU HRO SRC

ISO EN -20345:2011



49



50



BEAL SAFETY SHOES
CHAUSSEES DE SECURITE



BL-243-S3

WRU HRO SRC

ISO EN -20345:2011



PIT BULL
SAFETY SHOES
CALZATURE DI SICUREZZA



PB-2002-S3

WRU HRO SRC

ISO EN -20345:2011



51





PB-999-S3

WRU HRO SRC

ISO EN -20345:2011



52



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

OUTSOLE
FLEXIBLE HEAT RESISTANT

NON-MARKING
NON-MARKING OUTSOLE

TOECAP
STEEL TOE CAP RESISTANT UP TO 200 J

TOE PROTECTION
PU TOE PROTECTION FOR EXTRA SAFETY

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

EYELETS

METALLIC HEXAGON ANODIZED EYELETS

UPPER

WATER REPLENT GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT



NM-388-S3

WRU HRO SRC

ISO EN -20345:2011



53



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE
NON-MARKING
NON-MARKING OUTSOLE
REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)
OUTSOLE
FLEXIBLE HEAT RESISTANT DOUBLE DENSITY PU OUTSOLE

TOE PROTECTION
PU TOE PROTECTION FOR EXTRA SAFETY
COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

LINING

HIGH QUALITY 3D MESH FOR BETTER COMFORT

EYELETS

100 % NON-METALLIC ABS EYELETS

UPPER

SMOOTH ACTION UPPER LEATHER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

COMPOSITE TOECAP RESISTANT UP TO 150 J



NM-399-S3

WRU HRO SRC

ISO EN -20345:2011



54



SLIP RESISTANCE
SLIP RESISTANT OUTSOLE
NON-MARKING
NON-MARKING OUTSOLE
REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)
OUTSOLE
FLEXIBLE HEAT RESISTANT DOUBLE DENSITY PU OUTSOLE

TOE PROTECTION
PU TOE PROTECTION FOR EXTRA SAFETY
COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

LINING

HIGH QUALITY 3D MESH FOR BETTER COMFORT

UPPER

SMOOTH ACTION UPPER LEATHER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

COMPOSITE TOECAP RESISTANT UP TO 150 J



UNIQUE PASSION FLEXIBLE DETERMINED ADAPTABLE THE RESILIENT GOOD COMMUNICATION AMBITION HEALTHY





feetguard
safety shoes



TJ3-616-S3

WRU HRO SRC

ISO EN -20345:2011



58



OUTSOLE

HEAT
RESISTANT
DUAL DENSITY
PU OUTSOLE

**REINFORCED
HEEL**

EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**

SLIP RESISTANT
OUTSOLE

MIDSOLE

KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE

HIGHLY COMFORTABLE
& WASHABLE INSOLE

NON-MARKING

NON-MARKING
OUTSOLE

LINING

HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

HOOK EYELETS

ABS LOCKABLE QUICK RELEASE EYELETS

EYELETS

METALLIC ANODIZED D RING EYELETS

UPPER

WATER REPLENT
BARTON PRINTED LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOECAP
RESISTANT
UP TO 200 J

TOE PROTECTION
PU TOE PROTECTION
FOR EXTRA SAFETY

59



OUTSOLE

FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**

EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**

SLIP RESISTANT
OUTSOLE

MIDSOLE

KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE

HIGHLY COMFORTABLE
& WASHABLE INSOLE

NON-MARKING

NON-MARKING
OUTSOLE

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED D RING EYELETS

UPPER

WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

RESISTANT
UP TO
200 J STEEL
TOECAP



SAFETY AT EVERY STEP
CONTECH
SAFETY AT EVERY STEP
CONTECH



AM-701-S3

WRU HRO SRC

ISO EN -20345:2011



60



OUTSOLE

FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**

EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**

SLIP RESISTANT
OUTSOLE

MIDSOLE

KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE

HIGHLY COMFORTABLE
& WASHABLE INSOLE

NON-MARKING

NON-MARKING
OUTSOLE

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC HEXAGON ANODIZED EYELETS

UPPER

WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J



AM-719-S3

WRU HRO SRC

ISO EN -20345:2011



willman
SAFETY SHOES



AM-923-S3

WRU HRO SRC

ISO EN -20345:2011



61



62



willman
SAFETY SHOES



AM-925-S3

WRU HRO SRC

ISO EN -20345:2011



Endura
born tough SAFETY SHOES



ER-1414-S3

WRU HRO SRC

ISO EN -20345:2011



63





ER-1400-S3

WRU HRO SRC

ISO EN -20345:2011



64



OUTSOLE
FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

**NON-MARKING
OUTSOLE**

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED EYELETS

UPPER

WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J

65



OUTSOLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

**NON-MARKING
OUTSOLE**

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED HEXAGON EYELETS

UPPER

WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J



LIGHTWEIGHT



R-1192-S3

WRU HRO SRC

ISO EN -20345:2011



LIGHTWEIGHT



R-1081-S3

WRU HRO SRC

ISO EN -20345:2011



66



OUTSOLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

**NON-MARKING
OUTSOLE**

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED EYELETS

UPPER

WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J



SM-101-S3

WRU HRO SRC

ISO EN -20345:2011



70



OUTSOLE
HEAT RESISTANT
PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

MID SOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

TOECAP
STEEL TOE CAP
RESISTANT
UP TO 200 J

NON-MARKING
NON-MARKING
OUTSOLE

LINING
HIGH QUALITY CAMBRELLE LINING

EYELETS
METALLIC ANODIZED EYELETS

UPPER
WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT



FS-701-S3

WRU HRO SRC

ISO EN -20345:2011



71



OUTSOLE
HEAT RESISTANT
PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

MID SOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

TOECAP
STEEL TOE CAP
RESISTANT
UP TO 200 J

NON-MARKING
NON-MARKING
OUTSOLE

LINING
HIGH QUALITY CAMBRELLE LINING

EYELETS
METALLIC ANODIZED HEXAGON EYELETS

UPPER
WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT



FS-702-S3

WRU HRO SRC

ISO EN -20345:2011



72



OUTSOLE
HEAT RESISTANT
PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

SLIP RESISTANCE
SLIP RESISTANT
OUTSOLE

MID SOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

TOECAP
STEEL TOE CAP
RESISTANT
UP TO 200 J

NON-MARKING
NON-MARKING
OUTSOLE

LINING
HIGH QUALITY CAMBRELLE LINING

EYELETS
METALLIC ANODIZED EYELETS

UPPER
WATER REPLENT
GENUINE LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT



feetguard
safety shoes



TJB-402-S1P

HRO SRC

ISO EN -20345:2011



73



OUTSOLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

**COMFORT
INSOLE**
HIGHLY
COMFORTABLE
& WASHABLE
INSOLE

NON-MARKING
NON-MARKING
OUTSOLE

LINING

HIGH QUALITY NYLON LINING

EYELETS

METALLIC HEXAGON ANODIZED EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J

TOE PROTECTION
PU TOE PROTECTION
FOR EXTRA SAFETY

74



OUTSOLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

**COMFORT
INSOLE**
HIGHLY
COMFORTABLE
& WASHABLE
INSOLE

NON-MARKING
NON-MARKING
OUTSOLE

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J

TOE PROTECTION
PU TOE PROTECTION
FOR EXTRA SAFETY



feetguard
safety shoes



TJB-401-S1P

HRO SRC

ISO EN -20345:2011



BRVO
safety shoes



BR-1066-S1P

HRO SRC

ISO EN -20345:2011



75



OUTSOLE
FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY
COMFORTABLE
& WASHABLE
INSOLE

NON-MARKING
NON-MARKING
OUTSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

LINING

HIGH QUALITY NYLON LINING

EYELETS

METALLIC ANODIZED D RING EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J



BR-1055-S1P

HRO SRC

ISO EN -20345:2011



76



OUTSOLE
FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

LINING

HIGH QUALITY NYLON LINING

EYELETS

METALLIC ANODIZED EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J

**NON-MARKING
NON-MARKING
OUTSOLE**



SAS-1088-S1P

HRO SRC

ISO EN -20345:2011



77



OUTSOLE
FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

LINING

HIGH QUALITY NYLON LINING

EYELETS

METALLIC ANODIZED D RING EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J



SAS-1077-S1P

HRO SRC

ISO EN -20345:2011



78



OUTSOLE
FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

LINING

HIGH QUALITY NYLON LINING

EYELETS

METALLIC ANODIZED EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J



SM-140-S1P

HRO SRC

ISO EN -20345:2011



79



OUTSOLE
FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

LINING

HIGH QUALITY NYLEX LINING

EYELETS

METALLIC HEXAGON ANODIZED EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL
TOE CAP
RESISTANT
UP TO 200 J



SM-130-S1P

HRO SRC

ISO EN -20345:2011



80



OUTSOLE
FLEXIBLE
HEAT
RESISTANT
PU OUTSOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED EYELETS

UPPER

PRINTED CLASSIC
LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

STEEL TOE CAP
RESISTANT
UP TO 200 J



CROSS



CR-10 H/A-S3

WRU HRO SRC

ISO EN -20345:2011



81



OUTSOLE
DUAL DENSITY
FLEXIBLE HEAT
RESISTANT
PU SOLE

**REINFORCED
HEEL**
EXTRA PROTECTION
FOR HEEL SAFETY

**SLIP
RESISTANCE**
SLIP RESISTANT
OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

REFLECTIVE

HIGH VISIBILITY REFLECTIVE

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED EYELETS

UPPER

WATER REPLENT UPPER

MOUNTING PAD

MOULDED MOUNTING
PAD FOR COMFORT

TOECAP

RESISTANT UP TO
200 J STEEL TOECAP

TOE PROTECTION

PU TOE PROTECTION
FOR EXTRA SAFETY

**NON-MARKING
NON-MARKING
OUTSOLE**



CROSS

CR-09 L/A-S3

WRU HRO SRC

ISO EN -20345:2011



82



83



AM-222-S3

WRU HRO SRC

ISO EN -20345:2011



AM-333-S3

WRU HRO SRC

ISO EN -20345:2011



84





Z-10-S1P

HRO SRC

ISO EN -20345:2011



85



SLIP RESISTANCE
EXTRA PU PROTECTION FOR SLIP RESISTANT

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

NON-MARKING
NON-MARKING OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT
EYELETS
100% NON-METALLIC ABS EYELETS
UPPER
HIGHLY ABRASION RESISTANT FLYKNIT WASHABLE MATERIAL
MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT
TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

86



OUTSOLE
HEAT RESISTANT PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

MID SOLE
STEEL MIDSOLE (NAIL PROOF)

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

FOOTBED
PADDED ADDITIONAL FOOTBED FOR EXTRA COMFORT

LINING
HIGH QUALITY NYLON Lining
EYELETS
METALLIC HEXAGON ANODIZED EYELETS
UPPER
PRINTED CLASSIC LEATHER UPPER
MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT
TOECAP
STEEL TOE CAP RESISTANT UP TO 200 J
TOE PROTECTION
PU TOE PROTECTION FOR EXTRA SAFETY

NON-MARKING
NON-MARKING OUTSOLE



SW-125-S3

WRU HRO SRC

ISO EN -20345:2011



SW-444-S1P

HRO SRC

ISO EN -20345:2011



87



OUTSOLE
FLEXIBLE HEAT RESISTANT PU OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

MID SOLE
STEEL MIDSOLE (NAIL PROOF)

SLIP RESISTANCE
SLIP RESISTANT OUTSOLE

REFLECTIVE
REFLECTIVE FOR NIGHT VISION

COMFORT INSOLE
HIGHLY COMFORTABLE & WASHABLE INSOLE

FOOTBED
PADDED ADDITIONAL FOOTBED FOR EXTRA COMFORT

LINING
HIGH QUALITY CAMBRELLE Lining
EYELETS
METALLIC ANODIZED D RING EYELETS
UPPER
PRINTED CLASSIC LEATHER UPPER
MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT
TOECAP
STEEL TOE CAP RESISTANT UP TO 200 J
TOE PROTECTION
PU TOE PROTECTION FOR EXTRA SAFETY



SW-455-S1P

HRO SRC

ISO EN -20345:2011



88

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC ANODIZED D RING EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

STEEL TOE CAP

RESISTANT UP TO 200 J

TOE PROTECTION

PU TOE PROTECTION FOR EXTRA SAFETY



OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

REINFORCED
HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

SLIP
RESISTANCE
SLIP RESISTANT
OUTSOLE

REFLECTIVE
REFLECTIVE FOR
NIGHT VISION

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT

89

LINING

HIGH QUALITY CAMBRELLE LINING

EYELETS

METALLIC HEXAGON ANODIZED EYELETS

UPPER

PRINTED CLASSIC LEATHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

STEEL TOE CAP

RESISTANT UP TO 200 J

TOE PROTECTION

PU TOE PROTECTION FOR EXTRA SAFETY



OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

MID SOLE
STEEL MIDSOLE
(NAIL PROOF)

REINFORCED
HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

SLIP
RESISTANCE
SLIP RESISTANT
OUTSOLE

REFLECTIVE
REFLECTIVE FOR
NIGHT VISION

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT



SW-501-S1P

HRO SRC

ISO EN -20345:2011



90

LINING

HIGH QUALITY TEXTILE INNER LINING

REFLECTIVE

REFLECTIVE FOR NIGHT VISION

ZIPPER

SIDE ZIPPER MAKES IT EASY TO GET OPEN AND CLOSE

EYELETS

METALLIC ANODIZED EYELETS

UPPER

OTHER UPPER

MOUNTING PAD

MOULDED MOUNTING PAD FOR COMFORT

TOECAP

STEEL TOECAP

RESISTANT UP TO 200 J

TOE PROTECTION

PU TOE PROTECTION FOR EXTRA SAFETY



OUTSOLE
FLEXIBLE HEAT
RESISTANT
PU OUTSOLE

SLIP
RESISTANCE
SLIP RESISTANT
OUTSOLE

REINFORCED
HEEL
EXTRA PROTECTION
FOR HEL SAFETY

MIDSOLE
STEEL MIDSOLE
(NAIL PROOF)

NON-MARKING
NON-MARKING OUTSOLE

COMFORT INSOLE
HIGHLY COMFORTABLE
& WASHABLE INSOLE

FOOTBED
PADDED
ADDITIONAL
FOOTBED FOR
EXTRA COMFORT



CROSS



RL-12 H/A-S3

WRU HRO SRC

ISO EN -20345:2011



PBT-410-S1P

HRO SRC

ISO EN -20345:2011

TACTICAL & SAFETY

91

UPPER
HIGHLY ABRASION RESISTANT
FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J

SLIP RESISTANCE
EXTRA PU
PROTECTION FOR
SLIP RESISTANT

SHOCK ABSORBENT
SHOCK ABSORBENT
WITH AIR CUSHION HEEL

OUTSOLE
FLEXIBLE IMPACT
RESISTANT
PU OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

92

LINING
HIGH QUALITY 3D AIR MESH
FOR BETTER COMFORT

REFLECTIVE
REFLECTIVE FOR NIGHT VISION

UPPER
MESH AND NUBUCK
ACTION LEATHER
COMBINATION UPPER

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J

SHOCK ABSORBENT
SHOCK ABSORBENT
WITH AIR CUSHION
HEEL

SLIP RESISTANCE
EXTRA PU
PROTECTION FOR
SLIP RESISTANT

NON-MARKING
NON-MARKING
OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

OUTSOLE
FLEXIBLE IMPACT
RESISTANT
EVA OUTSOLE

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY

PBT-250-S1P

HRO SRC

ISO EN -20345:2011

TACTICAL & SAFETY

PBT-400-S1P

HRO SRC

ISO EN -20345:2011

TACTICAL & SAFETY

93

REFLECTIV PULL TAB
REFLECTIVE PULL TAB FOR
BETTER NIGHT VISION

UPPER
HIGHLY ABRASION RESISTANT
FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING
PAD FOR COMFORT

TOECAP
COMPOSITE
TOECAP
RESISTANT
UP TO 150 J

SLIP RESISTANCE
EXTRA PU
PROTECTION FOR
SLIP RESISTANT

SHOCK ABSORBENT
SHOCK ABSORBENT
WITH AIR CUSHION
HEEL

OUTSOLE
FLEXIBLE IMPACT
RESISTANT
EVA OUTSOLE

NON-MARKING
NON-MARKING
OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

MIDSOLE
KEVLAR
MIDSOLE
(NAIL PROOF)

REINFORCED HEEL
EXTRA PROTECTION
FOR HEEL SAFETY



PBT-355-S1P

HRO SRC

ISO EN -20345:2011



TACTICAL & SAFETY

94



SLIP RESISTANCE
EXTRA PU PROTECTION FOR SLIP RESISTANT

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

OUTSOLE
FLEXIBLE IMPACT RESISTANT PU OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE FOR BETTER COMFORT AND EXTRA CUSHIONING

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGHLY ABRASION RESISTANT FLYKNIT WASHABLE MATERIAL

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J

95



SLIP RESISTANCE
EXTRA PU PROTECTION FOR SLIP RESISTANT

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE FOR BETTER COMFORT AND EXTRA CUSHIONING

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

UPPER
HIGH QUALITY SPLIT NUBUCK LEATHER UPPER

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J



PB-300-S1P

HRO SRC

ISO EN -20345:2011



TACTICAL & SAFETY

96



SLIP RESISTANT
EXTRA PU PROTECTION FOR SLIP RESISTANT

SHOCK ABSORBENT
SHOCK ABSORBENT WITH AIR CUSHION HEEL

REINFORCED HEEL
EXTRA PROTECTION FOR HEEL SAFETY

NON-MARKING
NON-MARKING OUTSOLE

AIR-COOLED
MEMORY FOAM INSOLE

OUTSOLE
FLEXIBLE IMPACT RESISTANT EVA OUTSOLE

MIDSOLE
KEVLAR MIDSOLE (NAIL PROOF)

LINING
HIGH QUALITY 3D AIR MESH FOR BETTER COMFORT

AUTOMATIC BUCKLE LACE
ROTATING AUTOMATIC BUCKLE SHOELACES REVOLVING BUCKLE

MOUNTING PAD
MOULDED MOUNTING PAD FOR COMFORT

TOECAP
COMPOSITE TOECAP RESISTANT UP TO 150 J



PBT-420-S1P

HRO SRC

ISO EN -20345:2011



TACTICAL & SAFETY



97



CSL - 3434

Fine Quality of Italian Leather.

98



CSL - 3455

Fine Quality of Italian Leather.

99



CSI - 3155

Fine Quality of Italian Leather.

100



CSI - 3156

Fine Quality of Italian Leather.

101



CJB - 4011

102



CJB - 4022

103



C - 100

104



C - 111

FASHION SHOE

105



PB - 190

LADIES CASUAL SHOE

106



CSI - 3188

TAXI SHOE

107



CSX - 1401

NURSES SHOE

108



PNS - 100

AUTOCALVABLE CLOGS

109



PBC - 100

NURSES SHOE

110



PNS - 111

GUM-BOOTS

B - 6

111



HRO SRC

B - 8

112



ISO EN -20345:2011 S1
HRO SRC

W - 40

113



ISO EN -20345:2011 S3
WRU HRO SRC

S - 888

114



ISO EN -20345:2011 S3
WRU HRO SRC



ISO EN-20345:2011-S3

115



PIT BULL®
SAFETY SHOES

CALZATURE DI SICUREZZA



PB EH- 750 - S3

WRU HRO SRC



**ELECTRICAL
HAZARD
SAFETY SHOE**



**100 % NON-METALLIC
SAFETY SHOE**



**HIGH QUALITY SMOOTH
SUEDE LEATHER UPPER**



**100% NON-METALLIC
SAFETY SHOE**



**ELECTRICAL HAZARD (EH)
18 KV RATED SAFETY SHOE**



**EXTRA WIDE
COMPOSITE TOE CAP - 150J**



**100% NON-METALLIC
KEVLAR MIDSOLE**



**AIR-COOLED
MEMORY FOAM INSOLE**



**REFLECTIVES
ON BOTH SIDE**



**EXTRA TOE
PROTECTION**



**3D AIR MESH LINING
FOR BETTER COMFORT**



**HIGHLY HEAT
RESISTANT SOLE**



**ENERGY &
SHOCK
ABSORBENT HEEL**



**REINFORCED HEEL
COUNTER FOR
IMPACT PROTECTION**



**SLIP-RESISTANT
OUTSOLE**



**NON-MARKING
SOLE**



**OIL, ACID AND
ALKALI RESISTANT**



**PADDLED LEATHER
TONGUE FOR
BETTER COMFORT**



**100% NON-METALLIC
ABS EYELETS**



**A FINE COMBINATION
OF STYLE, DESIGN
AND SAFETY**



PERFORMANCE GUARANTEE Certificate FOR SAFETY SHOES



The Performance Guarantee for Safety Shoes is Six Months + an additional extended guarantee for Six more months can be provided from the date of manufacturing. This guarantee is fully covered by the manufacturer's instructions to use, mainly not to use in/soak in water, soak with lime / chemical / cement water etc... as the leather used is original & breathable. The sole is made of PU, which is resistant to Oil/Acid & Alkali. Even though the sole (PU area) has a resistance to with stand any such working condition, enough care should be taken by the user to protect the leather (upper part of the Shoe). This will protect the vulcanizing /moulding area which are normally very sensitive and weak.

We are sure that the above clarifications are clear expressions to understand the "Guarantee Terms." "We as a manufacturer, assure you that our guarantee of Six Months + an additional extended guarantee for Six more months will surely cover your risk, in return, we need you to leave necessary instructions to your users to take care of the shoe from all the above mentioned adverse conditions.


Thankyou once again for your trust & confidence on us.

Looking forward to receive your continuous patronage,

FOURESS SAFETY SHOES Co. FZC.

Authorised Signatory
(Seal)

Batch No.:
Date:



For International Guarantee / Technical Support :-

MIDDLE EAST / CIS / AFRICA P.O. Box 9077, Sharjah Intl. Airport Free Zone, (SAIF Zone) Sharjah, UNITED ARAB EMIRATES.	DUBAI P.O. Box: 119412, Deira, DUBAI.	SHARJAH P.O. Box: 68846, SHARJAH, UAE.	SAUDI ARABIA P.O. Box: 1516, Dammam 31411, KINGDOM OF SAUDI ARABIA.	QATAR P.O. Box: 47301, Al Baker Complex, Building No. 1, A3, Doha, QATAR.	OMAN P.O. Box. 3445, P.C 112, Sultanate of OMAN.	ITALY PESARO, via-dell, Industria -12, 61121 ITALIA.	SPAIN Plaza De Honduras, 29 - Der. 90-35, 46010 - Valencia, SPAIN.	HONG KONG P. O. Box. 98679, T.S.T. Post Office, HONG KONG.	NORWAY Sofimyrveien 4, 1412 Sofienmy, NORWAY.	INDIA 523.Estacy, Nirmal City of Joy Business Park, Station Road, Mulund West, MUMBAI- 400 080,INDIA.
--	--	---	--	--	---	---	---	---	--	--



SHOE CARE

Reinforced area for Extra Safety

No Slipon style use

"Cement, Chemical, Silica, Dirt, Mud, Acid, Alkali" Etc. Deposited on the natural leather damage, Open-up the molding

Don't hit the shoe on hard surface

Don't soak the shoe in water

LEATHER NEED CARE

Always keep the INSOLE clean and dry

PERIODIC CLEANING WILL GIVE MAXIMUM COMFORT AND LONG LIFE

www.pitbullsafety.com

SHOE MAINTENANCE TIPS

- CLEAN AND POLISH REGULARLY
- ALWAYS WEAR SOCKS WITH SHOES
- IF FOOTWEAR IS WET, ALLOW IT TO DRY SLOWLY AND NATURALLY
- ALWAYS TIE WHILE WEARING & UNTIE WHILE REMOVING
- WASH THE SOLE AFTER USE IN CHEMICAL
- CLEAN & STORE IN A WELL VENTILATED AREA WHEN NOT IN USE
- NEVER USE CORROSIVE CLEANING AGENTS
- ONLY WEAR DRY SHOES

SHOE MEASUREMENT/SIZE CHART

SYSTEM	SIZES										
	Sizes available from 37 - 47.										
US	5	6	7	7.5	8	8.5	9	10	11	12	13
EU	37	38	39	40	41	42	43	44	45	46	47
UK	4	5	6	7	7.5	8	9	10	10.5	11	12



PIT BULL®

FABRICATED FOR BETTER COMFORT

REALIZZATO PER MIGLIOR COMFORT

Air-Cooled **COTTON RICH** SOCKS



EXTENDED
CUSION
FOOTBED

COMFORT
TOE SEAM



STRONG



BREATHABLE



COTTON 80%

EFFECTIVELY FIGHTS BACTERIA, MOLD,
AND FUNGI TO PREVENT ODOR

KEEPS COLORS VIBRANT

PRODUCTS STAY FRESH, CLEAN AND ODOR FREE!

3 PAIRS **COTTON RICH** SOCKS

MENS

SOCK: 10-13
SHOE: 8-12

PREMIUM COTTON
FOR EXTRA COMFORT
AND BREATHABILITY



www.pitbullsafety.com



PIT BULL®

FABRICATED FOR BETTER COMFORT

REALIZZATO PER UN MIGLIOR COMFORT

Neur*flex

KINETIC CHAIN PROBLEMS

100% CUSTOMIZED INSOLES FOR YOU

We at **Neur*flex** focus on your feet, the main support of your Kinetic Chain and provide a customized solution for feet and related posture problems.



PRECISE AI GRAPHIC RECOGNITION & ANALYSIS TECHNOLOGY TO PROVIDE:

- Perfectly fitted insoles
- Utmost customer satisfaction
- Complete Foot care solution

WITH SUPPORT

MAXIMUM FLEXIBILITY WITH SUITABLE ARCH SUPPORT




WITHOUT SUPPORT

NOT ENOUGH SUPPORT EASY TO INJURE THE ARCH



PAIN POINTS



Recommended by:

Dr. GENE ANN THOMAS
Consultant Neurologist

MBBS (Seth GSMC and KEM Hospital, Mumbai)
MD Medicine (Lokmanya Tilak Hospital, Mumbai)
DM Neurology (Amrita Institute of Medicine, Kochi)



Safety is an Attitude... Wear IT[®]



PROMOTIONAL DISPLAY STAND

65 INCH TOUCH SCREEN DIGITAL SHOE SELECTION KIOSK DISPLAY



DIGITAL SHOE CLEANING & KIOSK DISPLAY

**MANAGERS/EXECUTIVE****01**

CASUAL NON SAFETY				SL. No	NOTES
01		CSL - 3455	WITHOUT LACE	L/A	98
02		CSL - 3434	WITH LACE	L/A	97
NON-METALLIC SAFETY					
03		PF - 9009	WRU	HRO SRC S3	28
04		PB3 - 145	WRU	HRO SRC S3	39
05		Hi-Flex	WRU	HRO SRC S3	25
06		PB - 2088	WRU	HRO SRC S2	31
07		PB - 2077	WRU	HRO SRC S2	32
08		PB - 2099	WRU	HRO SRC S2	29
09		PB3 - 2097	WRU	HRO SRC S2	30
10		PB3 - 922	WRU	HRO SRC S3	42
11		PB3 - 911	WRU	HRO SRC S3	43
12		NM - 399	WRU	HRO SRC S3	54
13		NM - 388	WRU	HRO SRC S3	53
LOW ANKLE					
14		BL - 245	WRU	HRO SRC S3	49
15		BL - 243	WRU	HRO SRC S3	50
16		BL - 235	WRU	HRO SRC S3	48
17		BL - 233	WRU	HRO SRC S3	47
NON-METALLIC - SPORTS SAFETY					
18		PBP3- 919	WRU	HRO SRC S3	01
19		GH - 8021	WRU	HRO SRC S3	07
20		PBP3- 818	WRU	HRO SRC S2	02
21		PBP3- 717	WRU	HRO SRC S3	03

NON-METALLIC - SPORTS SAFETY				SL. No	NOTES
22		FK - 4004	WRU	HRO SRC S3	04
23		FK - 200		HRO SRC S1	10
24		FK - 222		HRO SRC S1	11
25		PBN - 1844		HRO SRC S1P	14
26		PBN - 1840		HRO SRC S1P	13
27		PB - 199		HRO SRC S1P	15
28		PBN - 1809		HRO SRC S1P	12
29		PBN - 5005		HRO SRC S1	17
30		PBN - 5001		HRO SRC S1	16
31		BL - N6		HRO SRC S1P	34
32		SOLO		HRO SRC S1P	33
33		GHL - 1020	WRU	HRO SRC S3	09
34		GHL - 1030	WRU	HRO SRC S3	08
35		PB3 - 1221	WRU	HRO SRC S3	20
36		BLS - 6005	WRU	HRO SRC S3	22
37		BLS - 6008	WRU	HRO SRC S3	23
38		GHL - 4300	WRU	HRO SRC S3	05
39		Z - 5	WRU	HRO SRC S3	06
METALLIC - SPORTS SAFETY					
40		PBS - 7007		HRO SRC S1P	18
41		PBS - 7005		HRO SRC S1P	19
42		BL - H400		HRO SRC SBP	27
43		BL - H501		HRO SRC S1P	26
44		BLS - 8030		HRO SRC S1	21
45		NEUROPLUS		HRO SRC S1P	35

**M.E.P. WORK****02**

HIGH ANKLE				SL. No	NOTES
01		KM - 505	WRU	HRO SRC S3	57
02		TJ3 - 616	WRU	HRO SRC S3	58
03		J - 108	WRU	HRO SRC S3	68
04		AM - 923	WRU	HRO SRC S3	61
05		CR - 10	WRU	HRO SRC S3	81
06		SW - 125	WRU	HRO SRC S3	86
07		TJG - 402		HRO SRC S1P	73
08		BR - 1066		HRO SRC S1P	75
09		SAS - 1088		HRO SRC S1P	77
10		SW - 501		HRO SRC S1P	89

HIGH ANKLE				SL. No	NOTES
11		SW - 444		HRO SRC S1P	87
LOW ANKLE					
12		J - 108	WRU	HRO SRC S3	68
13		CR - 09	WRU	HRO SRC S3	82
14		AM - 925	WRU	HRO SRC S3	62
15		TJG - 401		HRO SRC S1P	74
16		BR - 1055		HRO SRC S1P	76
17		SAS - 1077		HRO SRC S1P	78
18		SW - 455		HRO SRC S1P	88

**MANPOWER SUPPLY EXECUTIVE****03**

CASUAL NON-SAFETY				SL. No	NOTES
01		CSL - 3455	WITHOUT LACE	L/A	98
02		CSL - 3434	WITH LACE	L/A	97
03		CSI - 3188	LADIES SLIPON	L/A	106
HIGH ANKLE					
04		A - 2266	WRU	HRO SRC S3	36
05		PB - 7051	WRU	HRO SRC S3	44
06		PB - 2002	WRU	HRO SRC S3	51
07		GM - 555	WRU	HRO SRC S3	46
08		D - 533	WRU	HRO SRC S3	55
09		CR - 10	WRU	HRO SRC S3	81
LOW ANKLE					
10		BL - 245	WRU	HRO SRC S3	49
11		BL - 243	WRU	HRO SRC S3	50
12		BL - 235	WRU	HRO SRC S3	48

LOW ANKLE				SL. No	NOTES
13		CR - 09	WRU	HRO SRC S3	82
14		BL - 233	WRU	HRO SRC S3	47
15		A - 2023	WRU	HRO SRC S3	37
16		PB - 7050	WRU	HRO SRC S3	45
17		PB - 999	WRU	HRO SRC S3	52
18		D - 522	WRU	HRO SRC S3	56
NON-METALLIC - EXECUTIVE					
19		PB3 - 145	WRU	HRO SRC S3	39
20		PB - 9009	WRU	HRO SRC S3	28
21		Hi - Flex	WRU	HRO SRC S3	25
22		PB - 2088	WRU	HRO SRC S2	31
23		PB - 2077	WRU	HRO SRC S2	32
24		PB - 2099	WRU	HRO SRC S2	29
25		PB - 2097	WRU	HRO SRC S2	30

**SCAFFOLDING****04**

HIGH ANKLE				SL. No	NOTES
01		AM - 701	WRU	HRO SRC S3	59
02		FS - 701	WRU	HRO SRC S3	71
03		AM - 923	WRU	HRO SRC S3	61
04		R - 1192	WRU	HRO SRC S3	65
05		TJ3 - 616	WRU	HRO SRC S3	58

LOW ANKLE				SL. No	NOTES
06		BLS - 8030		HRO SRC S1	21
07		AM - 925	WRU	HRO SRC S3	62
08		AM - 719	WRU	HRO SRC S3	60
09		FS - 702	WRU	HRO SRC S3	72
10		R - 1081	WRU	HRO SRC S3	66



FACILITY MANAGEMENT

05

CASUAL NON-SAFETY					SL. No	NOTES
01		CSL - 3156	WITH LACE	L/A	100	
02		CSI - 3155	WITH LACE	L/A	99	
03		CJB - 4011	WITH LACE	L/A	101	
04		CJB - 4022	WITHOUT LACE	L/A	102	

NON-METALLIC

05		PB - 547	WRU	HRO	SRC	S2	41	
06		PB3 - 922	WRU	HRO	SRC	S3	42	
07		PB3 - 911	WRU	HRO	SRC	S3	43	
08		NM - 399	WRU	HRO	SRC	S3	54	
09		NM - 388	WRU	HRO	SRC	S3	53	
10		Z - 10		HRO	SRC	S1P	85	
11		AM - 222	WRU	HRO	SRC	S3	83	
12		AM - 333	WRU	HRO	SRC	S3	84	

HIGH ANKLE

13		AM - 923	WRU	HRO	SRC	S3	61	
14		ER - 1414	WRU	HRO	SRC	S3	63	
15		R - 1192	WRU	HRO	SRC	S3	65	
16		J - 108	WRU	HRO	SRC	S3	68	

HIGH ANKLE					SL. No	NOTES		
17		SM - 108	WRU	HRO	SRC	S3	69	
18		TJG - 402		HRO	SRC	S1P	73	
19		SAS - 1088		HRO	SRC	S1P	77	
20		BR - 1066		HRO	SRC	S1P	75	

LOW ANKLE

21		AM - 923	WRU	HRO	SRC	S3	62	
22		ER - 1400	WRU	HRO	SRC	S3	64	
23		R - 1081	WRU	HRO	SRC	S3	66	
24		J - 101	WRU	HRO	SRC	S3	67	
25		FS - 702	WRU	HRO	SRC	S3	72	
26		TJG - 401		HRO	SRC	S1P	74	
27		SAS - 1077		HRO	SRC	S1P	78	
28		BR - 1055		HRO	SRC	S1P	76	








GUM-BOOTS

29		B - 8	WRU	HRO	SRC	S1	112	
30		B - 6	WRU	HRO	SRC		111	
31		RL - 12	WRU	HRO	SRC	S3	90	














DAIRY & JUICE/ CHOCOLATE MFG

06

HIGH ANKLE					SL. No	NOTES		
01		PB - 2002	WRU	HRO	SRC	S3	51	
02		FS - 701	WRU	HRO	SRC	S3	71	
03		F - 10	WRU	HRO	SRC	S3	40	
04		CR - 10	WRU	HRO	SRC	S3	81	
05		TJG - 402		HRO	SRC	S1P	73	
06		BR - 1066		HRO	SRC	S1P	75	
07		SAS - 1088		HRO	SRC	S1P	77	

LOW ANKLE

08		FS - 702	WRU	HRO	SRC	S3	72	
09		TJG - 401		HRO	SRC	S1P	74	
10		BR - 1055		HRO	SRC	S1P	76	
11		SAS - 1077		HRO	SRC	S1P	78	

100% NON-METALLIC						SL. No	NOTES	
12		PB3 - 155	WRU	HRO	SRC	S3	38	
13		PB3 - 145	WRU	HRO	SRC	S3	39	
14		PF - 9009	WRU	HRO	SRC	S3	28	
15		PB - 547	WRU	HRO	SRC	S2	41	
16		PF - 9010	WRU	HRO	SRC	S3	24	
17		PB3 - 922	WRU	HRO	SRC	S3	42	
18		PB3 - 911	WRU	HRO	SRC	S3	43	
19		NM - 388	WRU	HRO	SRC	S3	53	
20		NM - 399	WRU	HRO	SRC	S3	54	
21		AM - 222	WRU	HRO	SRC	S3	83	
22		AM - 333	WRU	HRO	SRC	S3	84	



EXECUTIVE FACILITY MANAGEMENT

07

CASUAL NON-SAFETY					SL. No	NOTES
01		CSL - 3455	WITHOUT LACE	L/A	98	
02		CSL - 3434	WITH LACE	L/A	97	
03		CSL - 3188	LADIES SLIPON	L/A	106	

NON-METALLIC

04		PF - 9009	WRU	HRO	SRC	S3	28	
05		PF - 9010	WRU	HRO	SRC	S3	24	
06		PB - 155	WRU	HRO	SRC	S3	38	
07		PB3 - 145	WRU	HRO	SRC	S3	39	
08		Hi Flex	WRU	HRO	SRC	S3	25	
09		PB - 2088	WRU	HRO	SRC	S2	31	
10		PB - 2077	WRU	HRO	SRC	S2	32	
11		PB - 2099	WRU	HRO	SRC	S2	29	
12		PB - 2097	WRU	HRO	SRC	S2	30	
13		BL - N6		HRO	SRC	S1P	34	

HIGH ANKLE					SL. No	NOTES		
14		A - 2266	WRU	HRO	SRC	S3	36	
15		PB - 7051	WRU	HRO	SRC	S3	44	
16		PB - 2002	WRU	HRO	SRC	S3	51	
17		GM - 555	WRU	HRO	SRC	S3	46	
18		D - 533	WRU	HRO	SRC	S3	55	










LOW ANKLE










19		BL - 245	WRU	HRO	SRC	S3	49	
20		BL - 243	WRU	HRO	SRC	S3	50	
21		BL - 235	WRU	HRO	SRC	S3	48	
22		BL - 233	WRU	HRO	SRC	S3	47	
23		A - 2023	WRU	HRO	SRC	S3	37	
24		PB - 7050	WRU	HRO	SRC	S3	45	
25		PB - 999	WRU	HRO	SRC	S3	52	
26		NEUROPLUS		HRO	SRC	S1P	35	



CONSTRUCTION

08

HIGH ANKLE					SL. No	NOTES		
01		ER - 1414	WRU	HRO	SRC	S3	63	
02		R - 1192	WRU	HRO	SRC	S3	65	
03		J - 108	WRU	HRO	SRC	S3	68	
04		SM - 108	WRU	HRO	SRC	S3	69	
05		FS - 701	WRU	HRO	SRC	S3	71	
06		CR - 10	WRU	HRO	SRC	S3	81	
07		TJG - 402		HRO	SRC	S1P	73	
08		BR - 1066		HRO	SRC	S1P	75	
09		SAS - 1088		HRO	SRC	S1P	77	

LOW ANKLE							SL. No	NOTES
10		ER - 1400	WRU	HRO	SRC	S3	64	
11		R - 1081	WRU	HRO	SRC	S3	66	
12		J - 101	WRU	HRO	SRC	S3	67	
13		FS - 702	WRU	HRO	SRC	S3	72	
14		CR - 09	WRU	HRO	SRC	S3	82	
15		SM - 130		HRO	SRC	S1P	80	
16		TJG - 401		HRO	SRC	S1P	74	
17		BR - 1055		HRO	SRC	S1P	76	
18		SAS - 1077		HRO	SRC	S1P	78	

**ASPHALT / HIGH TEMPERATURE****09**

HIGH ANKLE		SL. No	NOTES
01	A - 2266 WRU HRO SRC S3	36	
02	PB - 7051 WRU HRO SRC S3	44	
03	PB - 2002 WRU HRO SRC S3	51	
04	GM - 555 WRU HRO SRC S3	46	
05	D - 533 WRU HRO SRC S3	55	
06	J - 108 WRU HRO SRC S3	68	
07	R - 1192 WRU HRO SRC S3	65	

LOW ANKLE		SL. No	NOTES
08	A - 2023 WRU HRO SRC S3	37	
09	PB - 7050 WRU HRO SRC S3	45	
10	PB - 999 WRU HRO SRC S3	52	
11	J - 101 WRU HRO SRC S3	67	
12	R - 1081 WRU HRO SRC S3	66	
13	BLS - 8030 WRU HRO SRC S1	21	

**HEAVY DUTY CONSTRUCTION****10**

HIGH ANKLE		SL. No	NOTES
01	A - 2266 WRU HRO SRC S3	36	
02	PB - 7051 WRU HRO SRC S3	44	
03	PB - 2002 WRU HRO SRC S3	51	
04	GM - 555 WRU HRO SRC S3	46	
05	D - 533 WRU HRO SRC S3	55	
06	TJ3 - 616 WRU HRO SRC S3	58	
07	AM - 923 WRU HRO SRC S3	61	
08	AM - 701 WRU HRO SRC S3	59	
09	KM - 505 WRU HRO SRC S3	57	
10	F - 10 WRU HRO SRC S3	40	
11	SW - 125 WRU HRO SRC S3	86	

LOW ANKLE		SL. No	NOTES
12	A - 2023 WRU HRO SRC S3	37	
13	PB - 7050 WRU HRO SRC S3	45	
14	PB - 999 WRU HRO SRC S3	52	
15	D - 522 WRU HRO SRC S3	56	
16	AM - 925 WRU HRO SRC S3	62	
17	AM - 719 WRU HRO SRC S3	60	

NON-METALLIC

18	PB3 - 145 WRU HRO SRC S3	39	
19	PB - 155 WRU HRO SRC S3	38	

**CEMENT MFG/CONCRETE/READYMIX****11**

HIGH ANKLE		SL. No	NOTES
01	FS - 701 WRU HRO SRC S3	71	
02	CR - 10 WRU HRO SRC S3	81	
03	TJG - 402 HRO SRC S1P	73	
04	BR - 1066 HRO SRC S1P	75	
05	SAS - 1088 HRO SRC S1P	77	
06	SW - 444 HRO SRC S1P	87	

LOW ANKLE		SL. No	NOTES
07	FS - 702 WRU HRO SRC S3	72	
08	CR - 09 WRU HRO SRC S3	82	
09	TJG - 401 HRO SRC S1P	74	
10	BR - 1055 HRO SRC S1P	76	
11	SAS - 1077 HRO SRC S1P	78	
12	SW - 455 HRO SRC S1P	88	

**LADIES COLLECTION****12**

CASUAL NON-SAFETY		SL. No	NOTES
01	CSI - 3188 LADIES SLIPON L/A	106	
02	CSI - 3155 WITH LACE L/A	99	
03	CJB - 4011 WITH LACE L/A	101	
04	CJB - 4022 WITHOUT LACE L/A	102	
05	PB - 190 WITHOUT LACE L/A	105	

NON-METALLIC LOW ANKLE

06	FK - 200 HRO SRC S1	10	
07	FK - 222 HRO SRC S1	11	
08	PF - 9009 WRU HRO SRC S3	28	
09	Hi - Flex WRU HRO SRC S3	25	
10	PB3 - 922 WRU HRO SRC S3	42	
11	PB3 - 911 WRU HRO SRC S3	43	

NON-METALLIC LOW ANKLE		SL. No	NOTES
12	NM - 388 WRU HRO SRC S3	53	
13	NM - 399 WRU HRO SRC S3	54	

NON-METALLIC SPORTS STYLE

14	PBP3 - 818 WRU HRO SRC S2	02	
15	PBN - 1844 HRO SRC S1P	14	
16	PBN - 1840 HRO SRC S1P	13	
17	PB - 199 HRO SRC S1P	15	
18	PBN - 1809 HRO SRC S1P	12	
19	PBN - 5005 HRO SRC S1	17	
20	PBN - 5001 HRO SRC S1	16	
21	BL - N6 HRO SRC S1P	34	
22	Z - 10 HRO SRC S1P	85	

**SECURITY SERVICE****13**

CASUAL NON-SAFETY		SL. No	NOTES
01	CSL - 3455 WITHOUT LACE L/A	98	
02	CSL - 3434 WITH LACE L/A	97	
03	CSI - 3188 LADIES SLIPON L/A	106	
04	CSL - 3156 WITH LACE L/A	100	
05	CSI - 3155 WITH LACE L/A	100	
06	CJB - 4011 WITH LACE L/A	101	
07	CJB - 4022 WITHOUT LACE L/A	102	

100% NON METALLIC

08	PF - 9009 WRU HRO SRC S3	28	
09	Z - 10 HRO SRC S1P	85	

CASUAL SAFETY		SL. No	NOTES
10	Hi-Flex WRU HRO SRC S3	25	
11	PB - 2088 WRU HRO SRC S2	31	
12	PB - 2077 WRU HRO SRC S2	32	
13	PB - 2099 WRU HRO SRC S2	29	
14	PB - 2097 WRU HRO SRC S2	30	
15	PB3 - 922 WRU HRO SRC S3	42	
16	PB3 - 911 WRU HRO SRC S3	43	
17	NM - 399 WRU HRO SRC S3	54	
18	NM - 388 WRU HRO SRC S3	53	
19	AM - 222 WRU HRO SRC S3	83	
20	AM - 333 WRU HRO SRC S3	84	



UNIFORM MANUFACTURERS

14

CASUAL NON-SAFETY				SL. No	NOTES
01		CSL - 3455	WITHOUT LACE	L/A	98
02		CSL - 3434	WITH LACE	L/A	97
03		CSI - 3188	LADIES SLIPON	L/A	106
04		CSL - 3156	WITH LACE	L/A	100
05		CSI - 3155	WITH LACE	L/A	99
06		CJB - 4011	WITH LACE	L/A	101
07		CJB - 4022	WITHOUT LACE	L/A	102

100 % NON-METALLIC				SL. No	NOTES
08		PB - 547	WRU HRO SRC	S2	41
09		PF - 9009	WRU HRO SRC	S3	28
10		Hi - Flex	WRU HRO SRC	S3	25
11		PB - 2088	WRU HRO SRC	S2	31
12		PB - 2077	WRU HRO SRC	S2	32
13		PB - 2099	WRU HRO SRC	S2	29
14		PB - 2097	WRU HRO SRC	S2	30
15		PBT - 410	HRO SRC	S1P	91
16		PBT - 355	HRO SRC	S1P	94
17		Z - 10	HRO SRC	S1P	85

100 % NON-METALLIC				SL. No	NOTES
18		PB3 - 922	WRU HRO SRC	S3	42
19		PB3 - 911	WRU HRO SRC	S3	43
20		NM - 399	WRU HRO SRC	S3	54
21		NM - 388	WRU HRO SRC	S3	53
22		AM - 222	WRU HRO SRC	S3	83
23		AM - 333	WRU HRO SRC	S3	84

LOW ANKLE				SL. No	NOTES
24		BL - 245	WRU HRO SRC	S3	49
25		BL - 243	WRU HRO SRC	S3	50
26		BL - 235	WRU HRO SRC	S3	48
27		BL - 233	WRU HRO SRC	S3	47
28		J - 101	WRU HRO SRC	S3	67
29		SAS - 1077	HRO SRC	S1P	78

HIGH ANKLE				SL. No	NOTES
30		J - 108	WRU HRO SRC	S3	68
31		SAS - 1088	HRO SRC	S1P	77



HOTEL / KITCHEN

15

CASUAL NON-SAFETY				SL. No	NOTES
01		CSL - 3455	WITHOUT LACE	L/A	98
02		CSL - 3434	WITH LACE	L/A	97
03		CSI - 3188	LADIES SLIPON	L/A	106
04		CSI - 3156	WITH LACE	L/A	100
05		CSI - 3155	WITH LACE	L/A	99
06		CJB - 4011	WITH LACE	L/A	101
07		CJB - 4022	WITHOUT LACE	L/A	102

100% NON METALLIC				SL. No	NOTES
08		PB - 547	WRU HRO SRC	S2	41
09		PF - 9009	WRU HRO SRC	S3	28
10		Hi-Flex	WRU HRO SRC	S3	25
11		PB - 2088	WRU HRO SRC	S2	31
12		PB - 2077	WRU HRO SRC	S2	32
13		PB - 2099	WRU HRO SRC	S2	29
14		PB - 2097	WRU HRO SRC	S2	30
15		PB3 - 922	WRU HRO SRC	S3	42
16		AM - 222	WRU HRO SRC	S3	83
17		AM - 333	WRU HRO SRC	S3	84

100% NON METALLIC				SL. No	NOTES
18		PB3 - 911	WRU HRO SRC	S3	43
19		NM - 399	WRU HRO SRC	S3	54
20		NM - 388	WRU HRO SRC	S3	53

LOW ANKLE				SL. No	NOTES
21		BL - 245	WRU HRO SRC	S3	49
22		BL - 243	WRU HRO SRC	S3	50
23		BL - 235	WRU HRO SRC	S3	48
24		BL - 233	WRU HRO SRC	S3	47
25		AM - 925	WRU HRO SRC	S3	62
26		ER - 1400	WRU HRO SRC	S3	64
27		R - 1081	WRU HRO SRC	S3	66
28		J - 101	WRU HRO SRC	S3	67
29		FS - 702	WRU HRO SRC	S3	72
30		TJG - 401	HRO SRC	S1P	74
31		SAS - 1077	HRO SRC	S1P	78
32		BR - 1055	HRO SRC	S1P	76
33		CR - 09	WRU HRO SRC	S3	82



MANPOWER SUPPLY

16

CASUAL NON-SAFETY				SL. No	NOTES
01		CSL - 3156	WITH LACE	L/A	100
02		CSI - 3155	WITH LACE	L/A	99
03		CJB - 4011	WITH LACE	L/A	101
04		CJB - 4022	WITHOUT LACE	L/A	102

HIGH ANKLE				SL. No	NOTES
05		A - 2266	WRU HRO SRC	S3	36
06		PB - 155	WRU HRO SRC	S3	38
07		F - 10	WRU HRO SRC	S3	40
08		SW - 125	WRU HRO SRC	S3	86
09		TJ3 - 616	WRU HRO SRC	S3	58
10		AM - 923	WRU HRO SRC	S3	61
11		AM - 701	WRU HRO SRC	S3	59
12		KM - 505	WRU HRO SRC	S3	57
13		ER - 1414	WRU HRO SRC	S3	63
14		R - 1192	WRU HRO SRC	S3	65
15		J - 108	WRU HRO SRC	S3	68
16		SM - 108	WRU HRO SRC	S3	69
17		FS - 701	WRU HRO SRC	S3	71
18		CR - 10	WRU HRO SRC	S3	81
19		TJG - 402	HRO SRC	S1P	73
20		BR - 1066	HRO SRC	S1P	75
21		SAS - 1088	HRO SRC	S1P	77
22		SW - 444	HRO SRC	S1P	87
23		SW - 501	HRO SRC	S1P	89








LOW ANKLE				SL. No	NOTES
24		AM - 925	WRU HRO SRC	S3	62
25		AM - 719	WRU HRO SRC	S3	60
26		ER - 1400	WRU HRO SRC	S3	64
27		R - 1081	WRU HRO SRC	S3	66
28		J - 101	WRU HRO SRC	S3	67
29		FS - 702	WRU HRO SRC	S3	72
30		SM - 130	HRO SRC	S1P	80
31		CR - 09	WRU HRO SRC	S3	82
32		BR - 1055	WRU HRO SRC	S1P	76
33		TJG - 401	HRO SRC	S1P	74
34		SAS - 1077	HRO SRC	S1P	78
35		SW - 455	HRO SRC	S1P	88

NON-METALLIC - EXECUTIVE				SL. No	NOTES
36		PB - 547	WRU HRO SRC	S2	41
37		PB3 - 922	WRU HRO SRC	S3	42
38		PB3 - 911	WRU HRO SRC	S3	43
39		NM - 399	WRU HRO SRC	S3	54
40		NM - 388	WRU HRO SRC	S3	53
41		AM - 222	WRU HRO SRC	S3	83
42		AM - 333	WRU HRO SRC	S3	84
43		PBT - 410	HRO SRC	S1P	91
44		PBT - 355	HRO SRC	S1P	94

OUR ESTEEMED CLIENTS & REVIEWS



			<p>I highly recommend the safety shoes from Fouress safety Shoe to those seeking reliable, top-quality safety shoes as I have been dealing with them for the past five years. Their staff (Ms. Sruthi Sudarsan) was knowledgeable, friendly, and helped me find the perfect pair of safety shoes that suited my needs.</p> <p>Money Mohanan ★★★★★</p>
<p>It is a top-notch destination for anyone in search of high-quality safety shoes. ▶ Extensive selection, ▶ Superior quality, ▶ All-day comfort, ▶ Expert guidance, and Affordable prices make it a truly outstanding outlet.</p> <p>Sarath Kumily ★★★★★</p>			
			<p>Very good design and quality shoes with factory outlet price. Variety of design, comfortable for wearing long working hours. Thanks to Fouress safety shoe company.</p> <p>ASM huq ★★★★★</p>
<p>I request to all construction workers please use this safety shoes really believe me this is very good product safety shoes long time using thanks</p> <p>Asif Ali ★★★★★</p>			
			<p>Just impressed with a wide varieties of safety shoes with affordable price range. Must refer to all who is looking for safety products.</p> <p>Kavya Ashok ★★★★★</p>
<p>Amazing shop Wide range of shoes and affordable prices Please have a visit and you will definitely be impressed yourself</p> <p>Clinton Pereira ★★★★★</p>			
			<p>High quality product Very good customer service and reasonable rate</p> <p>Bharat Chand ★★★★★</p>
<p>I got some perfect products from here, it's the second time I used to reach to this outlet. I got a perfect customer support. The staffs here is not pushing as to take a product, they try to prefer the most suitable product to us. I got a life of more than 6 months by using their product. I must suggest this outlet to purchase safety shoes.</p> <p>Sreejith Vinayakumar ★★★★★</p>			
			<p>Very good brand , reasonable price , very good customer service, Would always recommend.</p> <p>Sonu Khatri ★★★★★</p>
<p>I purchased shoe last year which is best quality and i am still using it without any complaints. Best Quality. Recommend everyone to try it.</p> <p>Vinod Mathew ★★★★★</p>			
			<p>What an awesome place to be with such wonderful service ... Incredible thanks to the team for helping me getting just what I wanted... big thumbs.</p> <p>Benny Ben ★★★★★</p>
<p>Really good customer service happy to buy a good product also showroom look great</p> <p>Moustapha Gueye ★★★★★</p>			
			<p>Your safety gears at affordable prices and the pricing is equalised with quality and brand</p> <p>Wandering Tenant ★★★★★</p>
<p>Super nice place and product display. Guys are really kind and they have been very helpful. Prices/quality the best.</p> <p>Emilio Marchi ★★★★★</p>			

 EMAAR			 <p>The shop was clean, organized and had a good selection of reasonably priced safety shoes.</p> <p>Omar Ismail ★★★★★</p>
 <p>Love it. It is indeed a very good place and they have a variety of products, specialized in safety protection items</p> <p>Eyass Khalil ★★★★★</p>			
			 <p>Very good service and quality material at affordable price</p> <p>Mexa Build ★★★★★</p>
 <p>All shoes in best quality. I am very satisfied and happy on how they assisted me to choose the best shoes i ever wanted. 100% i recommend this brand.</p> <p>Cesar Lape ★★★★★</p>			
			 <p>Good place for all kinds industrial safety goods like, shoes, helmets etc.</p> <p>Dr. Sajimon P. J ★★★★★</p>
 <p>It is a very good quality product and affordable price when comparing to leading brands in the market. I am very satisfied with your customer service. I would recommend to others.</p> <p>Mohamed Razik ★★★★★</p>			
			 <p>I recommend this store to any investor who is looking for high quality products with affordable rates. Thanks for the nice staff for their welcoming and great cooperation.</p> <p>Rana Ahmed ★★★★★</p>
 <p>Just impressed with a wide varieties of safety shoes with affordable price range. Must refer to all who is looking for safety products.</p> <p>Kavya Ashok ★★★★★</p>			
			 <p>The Safety Shoes is very good and the company staff are very helpful and attend the inquiry and order very fast Wish they all the best</p> <p>Awad Slamah ★★★★★</p>
 <p>I got some perfect products from here, it's the second time I used to reach to this outlet. I got a perfect customer support. The staffs here is not pushing as to take a product, they try to prefer the most suitable product to us. I got a life of more than 6 months by using their product. I must suggest this outlet to purchase safety shoes.</p> <p>Sreejith V ★★★★★</p>			
			 <p>I purchased shoe last year which is best quality and i am still using it without any complaints. Best Quality. Recommend everyone to try it.</p> <p>Vinod Mathew ★★★★★</p>
 <p>Amazing shop Wide range of shoes and affordable prices Please have a visit and you will definitely be impressed yourself</p> <p>★★★★★</p>			
			 <p>I found the shop via Google search for a particular brand of shoe I was hoping to buy. Great collections, great services never disappointed. Go for it</p> <p>Sudheesh ★★★★★</p>
 <p>What an awesome place to be with such wonderful service ... Incredible thanks to the team for helping me getting just what I wanted... big thumbs.</p> <p>Benny Ben ★★★★★</p>			
			 <p>Nice showroom with warm display.... Expecting more sales promotions and discounts for Traders.</p> <p>Rajesh Mannath ★★★★★</p>

FOLLOW US ON



FOURESS SAFETY

SAFETY AT EVERY STEP®

The essence of all our
Hardwork & Commitment is

Quality

OUR VISION

It's not being loud
but remaining silent,
It's not getting away with a smile,
but accepting the fault.
It's not assuming leadership,
but earning it.
It's not becoming the leader,
but always being one.

Thomas Koyat

Chairman & Managing Director
FOURESS SAFETY GROUP.



P.O.BOX: 9077,
Sharjah Intl. Airport Free Zone,
(SAIF Zone) Sharjah,
United Arab Emirates.

Tel : +971 6 557 3799 (6 Lines)
Fax : +971 6 557 3798
email : safety4u@emirates.net.ae
Web : www.safetyshoes.ae



RIGHT SHOE FOR THE RIGHT PROFESSION

Our LATEST CATALOGUE for your perusal to help you choose
the RIGHT SHOE FOR THE RIGHT JOB ... (refer pages 62-65),
the *COSTLIEST BEING LISTED FIRST AND THE CHEAPEST LAST*,
also LISTED to choose ... High Ankle - Low Ankle, Metallic - Non Metallic,
Water Repellent, Light Weight & Style categories.

We appreciate your sincere comments and look forward to your continuous patronage.



لا شيء
مستحيل
IMPOSSIBLE
IS POSSIBLE

An Accredited
member of :-



U A E | SAUDI ARABIA | QATAR | BAHRAIN | KUWAIT | OMAN | ITALY | CHINA | INDIA

24x7 CARE +971 56 72 72 100